Author Index

Aalinkeel, R.: *See* Srinivasan, M., 575
Akatsuka, N.: *See* Hara, H., 450
Alpers, D.H.: *See* Brada, N., 200
Amaral, M.E.C.: *See* Vieira, E.C., 285
Aoyama, Y.: *See* Hara, H., 450
Arivazhagan, P., Ramanathan K., and Panneerselvam, C. Effect of DL-α-lipoic acid on the status of lipid peroxidation and antioxidants in mitochondria of aged rats, 2
Atkinson, S.A.: *See* Bertolo, R.F.P., 66, 73
Austic, R.E.: *See* Keene, J.C., 274

Badillo, A.: *See* Oliart Ros, R.M., 207
Baños, G.: *See* El Hafidi, M., 396
Bauman, D.E.: *See* Corl, B.A., 622
Baumgard, L.H.: *See* Corl, B.A., 622
Beas-Zárate, C.: *See* Del Angel-Meza, A.R., 192
Berlin, E.: *See* Bhathena, S.J., 529
Bertolo, R.F.P., Bettger, W.J., and Atkinson, S.A. Calcium competes with zinc for a channel mechanism on the brush border membrane of piglet intestine, 66
Bertolo, R.F.P., Bettger, W.J., and Atkinson, S.A. Divalent metals inhibit and lactose stimulates zinc transport across brush border membrane vesicles from piglets, 73
Bettger, W.J., McCorquodale, M.L., and Blackadar, C.B. The effect of a *Tropaeolum speciosum* oil supplement on the nervonic acid content of sphingomyelin in rat tissues, 492
Bettger, W.J.: *See* Bertolo, R.F.P., 73, 66
Bhat, K.S.: *See* Reddy, G.B., 121
Bhathena, S.J., Berlin, E., McClure, D., and Peters, R.C. Effects of dietary fats on red blood cell membrane insulin receptor in normo- and hypercholesterolemic miniature swine, 529
Bhatnagar, D.: *See* John, S., 500
Blackadar, C.B.: *See* Bettger, W.J., 492
Blum, J.W.: *See* Hüsler, B.R., 304
Borojevic, R.: *See* Fortuna, V.A., 610
Boschero, A.C.: *See* Vieira, E.C., 285
Bosqueiro, J.R.: *See* Vieira, E.C., 285
Boston, T.: *See* Vukovich, M.D., 631
Brada, N., Gordon, M.M., Wen, J., and Alpers, D.H. Transfer of cobalamin from intrinsic factor to transcobalamin II, 200
Bragado, M.J., García, L.J., López, M.A., and Calvo, J.J. Protective effect of long term high fiber diet consumption on rat exocrine pancreatic function after chronic ethanol intake, 338
Briske-Anderson, M.: *See* Reeves, P.G., 674
Brooks, S.P.J., and Lampi, B.J. Fatty acid oxidation and fatty acid synthesis in energy restricted rats, 422
Brown, M., Evans, M., and McIntosh, M. Linoleic acid partially restores the triglyceride content of conjugated linoleic acid-treated cultures of 3T3-L1 preadipocytes, 381
Butler, J.A.: *See* Sun, Y., 88

Calvo, J.J.: *See* Bragado, M.J., 338
Caride, B.: *See* González, M., 512
Carlini, C.R.: *See* Vasconcelos, I.M., 55
Carneiro, E.M.: *See* Vieira, E.C., 285
Carter, L.C.: *See* Quasney, M.E., 310
Carvalho, A.d.F.F.U.: *See* Vasconcelos, I.M., 55
Castelar, L.I.d.M.: *See* Vasconcelos, I.M., 55
Chang Q.: *See* Zhang, Z., 144
Cheema, S.K., and Clandinin, M.T. Diet- and diabetes-induced change in insulin binding to the nuclear membrane in spontaneously diabetic rats is associated with change in the fatty acid composition of phosphatidylinositol, 213
Chen, H.-L.: *See* Yang, M.-H., 14
Chen, Z.-Y.: *See* Zhang, Z., 144
Cheng, T.-Y., Zhu, Z., Masuda, S., and Morcos, N.C. Effects of multinutrient supplementation on antioxidant defense systems in healthy human beings, 388
Christon, R.: *See* Linard, A., 481
Clandinin, M.T.: *See* Cheema, S.K., 213
Cook, L.S.: *See* Kummerow, F.A., 602
Corino, C.: *See* Oriani, G., 138
Corl, B.A., Baumgard, L.H., Dwyer, D.A., Griinari, J.M., Phillips, B.S., and Bauman, D.E. The role of Δ^9-desaturase in the production of *cis*-9, *trans*-11 CLA, 622
Cornelius, S.G.: *See* Spurlock, M.E., 81
Crespí, C.: *See* Proenza, A.M., 431
Cuéllar, A.: *See* El Hafidi, M., 396

da Fonte Ramos, C.: *See* Fonseca Passos, M.C., 300
Dagli, M.L.Z.: *See* Naves, M.M.V., 685
Dayanandan, A., Kumar, P., and Panneerselvam, C. Protective role of L-carnitine on liver and heart lipid peroxidation in atherosclerotic rats, 254
Dehne, M.G.: *See* Mühling, J., 46
Del Angel-Meza, A.R., Feria-Velasco, A., Ontiveros-Martínez, L., Gallardo, L., Gonzalez-Burgos, I., and Beas-Zárate, C. Protein- and tryptophan-restricted diets induce changes in rat gonadal hormone levels, 192
Delguingaro-Augusto, V.: *See* Vieira, E.C., 285
Demaison, L.: *See* Joffre, F., 554
de Moura, E.G.: *See* Fonseca Passos, M.C., 300
Ding, S.-T., and Mersmann, H.J. Fatty acids modulate porcine adipocyte differentiation and transcripts for transcription factors and adipocyte-characteristic proteins, 101
Dorian, C.L.: *See* Leifert, W.R., 365
Draijer, R.: *See* Lin, Y., 183
Du, C., Sato, A., Watanabe, S., Ikemoto, A., Fujii, Y., and Okuyama, H. Effect of dietary oils enriched with n-3 fatty acids on survival of mice, 474
Dubuisson, J.G., Murph, W.S., Griffin, S.R., and Gaubatz, J.W. Cytosolic enzymes from rat tissues that activate the cooked meat mutagen metabolite N-Hydroxyamino-1-methyl-6-phenylimidazo[*4,5-b*]pyridine (N-OH-PhIP), 518
Dufresne, C.J., and Farnworth, E.R. A review of latest research findings on the health promotion properties of tea, 404
During, A., Smith, M.K., Piper, J.B., and Smith, J.C. β-Carotene 15,15′-Dioxygenase activity in human tissues and cells: evidence of an iron dependency, 640
Dutra, S.C.P.: *See* Fonseca Passos, M.C., 300
Dwyer, D.A.: *See* Corl, B.A., 622

El Hafidi, M., Cuéllar, A., Ramírez, J., and Baños, G. Effect of sucrose addition to drinking water, that induces hypertension in the rats, on liver microsomal Δ9 and Δ5-desaturase activities, 396
Escrich, E., Solanas, M., Soler, M., Ruiz de Villa, C., Sánchez, J.A., and Segura, R. Dietary polyunsaturated n-6 lipids effects on the growth and fatty acid composition of rat mammary tumors, 536

0955-2863/01/$ – see front matter © 2001 Elsevier Science Inc. All rights reserved.
PII: S0955-2863(01)00200-5

Author Index

Aalinkeel, R.: *See* Srinivasan, M., 575
Akatsuka, N.: *See* Hara, H., 450
Alpers, D.H.: *See* Brada, N., 200
Amaral, M.E.C.: *See* Vieira, E.C., 285
Aoyama, Y.: *See* Hara, H., 450
Arivazhagan, P., Ramanathan K., and Panneerselvam, C. Effect of DL-α-lipoic acid on the status of lipid peroxidation and antioxidants in mitochondria of aged rats, 2
Atkinson, S.A.: *See* Bertolo, R.F.P., 66, 73
Austic, R.E.: *See* Keene, J.C., 274

Badillo, A.: *See* Oliart Ros, R.M., 207
Baños, G.: *See* El Hafidi, M., 396
Bauman, D.E.: *See* Corl, B.A., 622
Baumgard, L.H.: *See* Corl, B.A., 622
Beas-Zárate, C.: *See* Del Angel-Meza, A.R., 192
Berlin, E.: *See* Bhathena, S.J., 529
Bertolo, R.F.P., Bettger, W.J., and Atkinson, S.A. Calcium competes with zinc for a channel mechanism on the brush border membrane of piglet intestine, 66
Bertolo, R.F.P., Bettger, W.J., and Atkinson, S.A. Divalent metals inhibit and lactose stimulates zinc transport across brush border membrane vesicles from piglets, 73
Bettger, W.J., McCorquodale, M.L., and Blackadar, C.B. The effect of a *Tropaeolum speciosum* oil supplement on the nervonic acid content of sphingomyelin in rat tissues, 492
Bettger, W.J.: *See* Bertolo, R.F.P., 73, 66
Bhat, K.S.: *See* Reddy, G.B., 121
Bhathena, S.J., Berlin, E., McClure, D., and Peters, R.C. Effects of dietary fats on red blood cell membrane insulin receptor in normo- and hypercholesterolemic miniature swine, 529
Bhatnagar, D.: *See* John, S., 500
Blackadar, C.B.: *See* Bettger, W.J., 492
Blum, J.W.: *See* Hüsler, B.R., 304
Borojevic, R.: *See* Fortuna, V.A., 610
Boschero, A.C.: *See* Vieira, E.C., 285
Bosqueiro, J.R.: *See* Vieira, E.C., 285
Boston, T.: *See* Vukovich, M.D., 631
Brada, N., Gordon, M.M., Wen, J., and Alpers, D.H. Transfer of cobalamin from intrinsic factor to transcobalamin II, 200
Bragado, M.J., García, L.J., López, M.A., and Calvo, J.J. Protective effect of long term high fiber diet consumption on rat exocrine pancreatic function after chronic ethanol intake, 338
Briske-Anderson, M.: *See* Reeves, P.G., 674
Brooks, S.P.J., and Lampi, B.J. Fatty acid oxidation and fatty acid synthesis in energy restricted rats, 422
Brown, M., Evans, M., and McIntosh, M. Linoleic acid partially restores the triglyceride content of conjugated linoleic acid-treated cultures of 3T3-L1 preadipocytes, 381
Butler, J.A.: *See* Sun, Y., 88

Calvo, J.J.: *See* Bragado, M.J., 338
Caride, B.: *See* González, M., 512
Carlini, C.R.: *See* Vasconcelos, I.M., 55
Carneiro, E.M.: *See* Vieira, E.C., 285
Carter, L.C.: *See* Quasney, M.E., 310
Carvalho, A.d.F.F.U.: *See* Vasconcelos, I.M., 55
Castelar, L.I.d.M.: *See* Vasconcelos, I.M., 55
Chang Q.: *See* Zhang, Z., 144
Cheema, S.K., and Clandinin, M.T. Diet- and diabetes-induced change in insulin binding to the nuclear membrane in spontaneously diabetic rats is associated with change in the fatty acid composition of phosphatidylinositol, 213
Chen, H.-L.: *See* Yang, M.-H., 14
Chen, Z.-Y.: *See* Zhang, Z., 144
Cheng, T.-Y., Zhu, Z., Masuda, S., and Morcos, N.C. Effects of multinutrient supplementation on antioxidant defense systems in healthy human beings, 388
Christon, R.: *See* Linard, A., 481
Clandinin, M.T.: *See* Cheema, S.K., 213
Cook, L.S.: *See* Kummerow, F.A., 602
Corino, C.: *See* Oriani, G., 138
Corl, B.A., Baumgard, L.H., Dwyer, D.A., Griinari, J.M., Phillips, B.S., and Bauman, D.E. The role of Δ^9-desaturase in the production of *cis*-9, *trans*-11 CLA, 622
Cornelius, S.G.: *See* Spurlock, M.E., 81
Crespí, C.: *See* Proenza, A.M., 431
Cuéllar, A.: *See* El Hafidi, M., 396

da Fonte Ramos, C.: *See* Fonseca Passos, M.C., 300
Dagli, M.L.Z.: *See* Naves, M.M.V., 685
Dayanandan, A., Kumar, P., and Panneerselvam, C. Protective role of L-carnitine on liver and heart lipid peroxidation in atherosclerotic rats, 254
Dehne, M.G.: *See* Mühling, J., 46
Del Angel-Meza, A.R., Feria-Velasco, A., Ontiveros-Martínez, L., Gallardo, L., Gonzalez-Burgos, I., and Beas-Zárate, C. Protein- and tryptophan-restricted diets induce changes in rat gonadal hormone levels, 192
Delguingaro-Augusto, V.: *See* Vieira, E.C., 285
Demaison, L.: *See* Joffre, F., 554
de Moura, E.G.: *See* Fonseca Passos, M.C., 300
Ding, S.-T., and Mersmann, H.J. Fatty acids modulate porcine adipocyte differentiation and transcripts for transcription factors and adipocyte-characteristic proteins, 101
Dorian, C.L.: *See* Leifert, W.R., 365
Draijer, R.: *See* Lin, Y., 183
Du, C., Sato, A., Watanabe, S., Ikemoto, A., Fujii, Y., and Okuyama, H. Effect of dietary oils enriched with n-3 fatty acids on survival of mice, 474
Dubuisson, J.G., Murph, W.S., Griffin, S.R., and Gaubatz, J.W. Cytosolic enzymes from rat tissues that activate the cooked meat mutagen metabolite N-Hydroxyamino-1-methyl-6-phenylimidazo[*4,5-b*]pyridine (N-OH-PhIP), 518
Dufresne, C.J., and Farnworth, E.R. A review of latest research findings on the health promotion properties of tea, 404
During, A., Smith, M.K., Piper, J.B., and Smith, J.C. β-Carotene 15,15′-Dioxygenase activity in human tissues and cells: evidence of an iron dependency, 640
Dutra, S.C.P.: *See* Fonseca Passos, M.C., 300
Dwyer, D.A.: *See* Corl, B.A., 622

El Hafidi, M., Cuéllar, A., Ramírez, J., and Baños, G. Effect of sucrose addition to drinking water, that induces hypertension in the rats, on liver microsomal Δ9 and Δ5-desaturase activities, 396
Escrich, E., Solanas, M., Soler, M., Ruiz de Villa, C., Sánchez, J.A., and Segura, R. Dietary polyunsaturated n-6 lipids effects on the growth and fatty acid composition of rat mammary tumors, 536

0955-2863/01/$ – see front matter © 2001 Elsevier Science Inc. All rights reserved.
PII: S0955-2863(01)00200-5

Evans, M.: *See* Brown, M., 381

Falconer, J.: *See* Read, M.A., 258
Fallon, K.: *See* Vukovich, M.D., 631
Farnworth, E.R.: *See* Dufresne, C.J., 404
Feliu, M.S., and Slobodianik, N.H. Activities of adenosine deaminase (ADA) and purine nucleoside phosphorylase (PNP) on undernourished and renourished rats' thymus, 125
Feria-Velasco, A.: *See* Del Angel-Meza, A.R., 192
Fernandez, M.L., West, K.L., Roy, S., and Ramjiganesh, T. Dietary fat saturation and gender/hormonal status modulate plasma lipids and lipoprotein composition, 703
Fonseca Passos, M.C., da Fonte Ramos, C., Dutra, S.C.P., and de Moura, E.G. Transfer of iodine through the milk in protein-restricted lactating rats, 300
Fortuna, V.A., Trugo, L.C., and Borojevic, R. Acyl-CoA: retinol acyltransferase (ARAT) and lecithin:retinol acyltransferase (LRAT) activation during the lipocyte phenotype induction in hepatic stellate cells, 610
Fotovati, A., Hayashi, T., and Ito, T. Lipolytic effect of BRL 35 135, a β3 agonist, and its interaction with dietary lipids on the accumulation of fats in rat body, 153
Frank, G.R.: *See* Spurlock, M.E., 81
Fuchs, M.: *See* Mühling, J., 46
Fujii, Y.: *See* Du, C., 474

Gallardo, L.: *See* Del Angel-Meza, A.R., 192
García, L.J.: *See* Bragado, M.J., 338
Garg, M.L.: *See* Nair, S.S.D., 7
Garg, M.L.: *See* Read, M.A., 258
Gaubatz, J.W.: *See* Dubuisson, J.G., 518
Genty, M.: *See* Joffre, F., 554
German, J.B.: *See* Quasney, M.E., 310
Gershwin, M.E.: *See* Quasney, M.E., 310
Ghafoorunissa: *See* Ibrahim, G.A., 116
Glahn, R.P.: *See* Yeung, A.C., 292
Godat, R.L.: *See* Spurlock, M.E., 81
Gonter, J.: *See* Mühling, J., 46
González, M., Caride, B., Lamas, A., and Taboada, C. Nutritional value of the marine invertebrates *Anemonia viridis* and *Haliothis tuberculata* and effects on serum cholesterol concentration in rats, 512
Gonzalez-Burgos, I.: *See* Del Angel-Meza, A.R., 192
Gordon, M.M.: *See* Brada, N., 200
Gotlibovitz, O.: *See* Libal-Weksler, Y., 458
Grases, F., Simonet, B.M., Prieto, R.M., and March, J.G. Variation of InsP$4, InsP$5 and InsP$6 levels in tissues and biological fluids depending on dietary phytate, 595
Griffin, S.R.: *See* Dubuisson, J.G., 518
Griinari, J.M.: *See* Corl, B.A., 622
Guerrero, O.A.: *See* Oliart Ros, R.M., 207
Guitard, R.: *See* Pericàs, J., 444

Hadley, K.B., and Sunde, R.A., Selenium regulation of thioredoxin reductase activity and mRNA levels in rat liver, 693
Hara, H., Akatsuka, N., and Aoyama, Y. Non-essential amino acids play an important role in adaptation of the rat exocrine pancreas to high nitrogen feeding, 450
Hayashi, T.: *See* Fotovati, A., 153
Hedemann, M.S.: *See* Lauridsen, C., 219
Hempelmann, G.: *See* Mühling, J., 46
Hennig, B. Letter to the Editor, 380
Hennig, B.: *See* Lee, Y.W., 648
Hill, A.S., Marks, S.L., and Rogers, Q.R. Quantitation of urinary 3-methylhistidine excretion in growing dogs as an index of *in vivo* skeletal muscle catabolism, 346
Hiroyuki, F., Tomohide, Y., and Kazunori, O. Efficacy and safety of Touchi Extract, an α-glucosidase inhibitor derived from fermented soybeans, in non-insulin-dependent diabetic mellitus, 351
Ho, W.K.K.: *See* Zhang, Z., 144
Huang, Y.: *See* Zhang, Z., 144
Huertas, J.R.: *See* Ochoa-Herrera, J.J., 357
Hüsler, B.R., and Blum, J.W. Blood plasma response and urinary excretion of nitrite and nitrate in milk-fed calves after oral nitrite and nitrate administration, 304

Ibrahim, S.A., and Ghafoorunissa. Influence of dietary partially hydrogenated fat high in *trans* fatty acids on lipid composition and function of intestinal brush border membrane in rats, 116
Ikemoto, A.: *See* Du, C., 474
Ito, T.: *See* Fotovati, A., 153

Jackson, E.M.: *See* Kushwaha, R.S., 664
Jahangiri, A.: *See* Leifert, W.R., 365
Jelen, H.: *See* Kummerow, F.A., 602
Jensen, S.K.: *See* Lauridsen, C., 219
Ji, S.Q.: *See* Spurlock, M.E., 81
Joffre, F., Martin, J.-C., Genty, M., Demaison, L., Loreau, O., Noël, J.-P., and Sébédio, J.-L. Kinetic parameters of hepatic oxidation of cyclic fatty acid monomers formed from linoleic and linolenic acids, 554
John, S., Kale, M., Rathore, N., and Bhatnagar, D. Protective effect of vitamin E in dimethoate and malathion induced oxidative stress in rat erythrocytes, 500
Johnson, L.: *See* Reeves, P.G., 674
Jones, P.J.H.: *See* Vanstone, C.A., 565

Kale, M.: *See* John, S., 500
Kazunori, O.: *See* Hiroyuki, F., 351
Keene, J.C., and Austic, R.E. Dietary supplements of mixtures of indispensable amino acids lacking threonine, phenylalanine or histidine increase the activity of hepatic threonine dehydrogenase, phenylalanine hydroxylase or histidase, respectively, and prevent growth depressions in chicks caused by dietary excesses of threonine, phenylalanine, or histidine, 274
Khan, F.A.: *See* Qureshi, A.A., 318
Koo, S.I.: *See* Noh, S.K., 330
Kreeft, A.: *See* Lin, Y., 183
Krüll, M.: *See* Mühling, J., 46
Kumar, P.: *See* Dayanandan, A., 254
Kummerow, F.A., Cook, L.S., Wasowicz, E., and Jelen, H. Changes in the phospholipid composition of the arterial cell can result in severe atherosclerotic lesions, 602
Kummerow, F.A.: *See* Olinescu, R.M., 162
Kushwaha, R.S., VandeBerg, J.F., Jackson, E.M., and VandeBerg, J.L. High and low responding strains of laboratory opossums differ in sterol 27-hydroxylase and acyl-coenzyme A:cholesterol acyltransferase activities on a high cholesterol diet, 664
Kuske, J.L.: *See* Spurlock, M.E., 81

Lamas, A.: *See* González, M., 512
Lampi, B.J.: *See* Brooks, S.P.J., 422
Latorraca, M.Q.: *See* Vieira, E.C., 285
Lauber, R.P.: *See* Nelson, H.K., 242
Lauridsen, C., Hedemann, M.S., and Jensen, S.K. Hydrolysis of tocopheryl and retinyl esters by porcine carboxyl ester hydrolase is affected by their carboxylate moiety and bile acids, 219
Lee, Y.W., Park, H.J., Hennig, B., and Toborek, M.J. Linoleic acid induces MCP-1 gene expression in human microvascular endothelial cells through an oxidative mechanism, 648
Leifert, W.R., Dorian, C.L., Jahangiri, A., McMurchie, E.J. Dietary fish oil prevents asynchronous contractility and alters Ca 2 + handling in adult rat cardiomyocytes, 365
Leitch, J.: *See* Nair, S.S.D., 7
Leitch, J.W.: *See* Read, M.A., 258
Levi, B., and Werman, M.J. Fructose triggers DNA modification and damage in an *Escherichia coli* plasmid, 235
Lewis, D.A., and Shaw, G.P. A natural flavonoid and synthetic analogues protect the gastric mucosa from aspirin-induced erosions, 95
Libal-Weksler, Y., Gotlibovitz, O., Stark, A.H., and Madar, Z. Diet and diabetic state modify glycogen synthase activity and expression in rat hepatocytes, 458
Lin, Y., Kreeft, A., Schuurbiers, J.A.E., and Draijer, R. Different effects of conjugated linoleic acid isomers on lipoprotein lipase activity in 3T3-L1 adipocytes, 183
Linard, A., Macaire, J.-P., and Christon, R. Phospholipid hydroperoxide glutathione

peroxidase activity and vitamin E level in the liver microsomal membrane: effects of age and dietary α-linolenic acid deficiency, 481
Looker, A.C.: *See* Sempos, C.T., 170
López, M.A.: *See* Bragado, M.J., 338
Loreau, O.: *See* Joffre, F., 554

Macaire, J.-P.: *See* Linard, A., 481
Macchi, M.B.: *See* Vukovich, M.D., 631
Madar, Z.: *See* Libal-Weksler, Y., 458
Maia, A.A.B.: *See* Vasconcelos, I.M., 55
March, J.G.: *See* Grases, F., 595
Margareto, J., Marti, A., and Martínez, J.A. Changes in UCP mRNA expression levels in brown adipose tissue and skeletal muscle after feeding a high-energy diet and relationships with leptin, glucose and PPARγ, 130
Marks, S.L.: *See* Hill, A.S., 346
Marti, A.: *See* Margareto, J., 130
Martin, J.-C.: *See* Joffre, F., 554
Martínez, J.A.: *See* Margareto, J., 130
Masuda, S.: *See* Cheng, T.-Y., 388
Mataix, J.: *See* Ochoa-Herrera, J.J., 357
Matsakas, A.: *See* Mougios, V., 585
McClure, D.: *See* Bhathena, S.J., 529
McCorquodale, M.L.: *See* Bettger, W.J., 492
McIntosh, M.: *See* Brown, M., 381
Melissopoulou, A.: *See* Mougios, V., 585
Melo, V.M.M.: *See* Vasconcelos, I.M., 55
Mersmann, H.J.: *See* Ding, S.-T., 101
Miller, D.D.: *See* Yeung, A.C., 292
Mochizuki, H., Oda, H., and Yokogoshi, H. Dietary taurine potentiates polychlorinated biphenyl-induced hypercholesterolemia in rats, 109
Mock, D.M.: *See* Zempleni, J., 465
Momčilović, B., and Reeves, P.G. Idiorrhythmic zinc dose-rate induction of intestinal metallothionein in rats depends upon their nutritional zinc status, 225
Morcos, N.C.: *See* Cheng, T.-Y., 388
Moreno, F.S.: *See* Naves, M.M.V., 685
Mougios, V., Matsakas, A., Petridou, A., Ring, S., Sagredos, A., Melissopoulou, A., Tsigilis, N., and Nikolaidis, M. Effect of supplementation with conjugated linoleic acid on human serum lipids and body fat, 585
Mühling, J., Sablotzki, A., Fuchs, M., Krüll, M., Dehne, M.G., Weiss, S., Gonter, J., Quandt, D., and Hempelmann, G. Effects of diazepam on neutrophil (PMN) free amino acid profiles and immune functions in vitro. Metabolic and immunological consequences of L-alanyl-L-glutamine supplementation, 46
Murchie, E.J.: *See* Leifert, W.R., 365
Murph, W.S.: *See* Dubuisson, J.G., 518

Nair, S.S.D., Leitch, J., and Garg, M.L. N-3 polyunsaturated fatty acid supplementation alters inositol phosphate metabolism and protein kinase C activity in adult porcine cardiac myocytes, 7
Naves, M.M.V., Silveira, E.R., Dagli, M.L.Z., and Moreno, F.S. Effects of β-carotene and vitamin A on oval cell proliferation and connexin 43 expression during hepatic differentiation in the rat, 685
Nayak, S.: *See* Reddy, G.B., 121
Nazzaro, F.: *See* Tedesco, I., 505
Nelson, H.K., Lauber, R.P., and Sheard, N.F. Effect of various levels of supplementation with sodium pivalate on tissue carnitine concentrations and urinary excretion of carnitine in the rat, 242
Newburg, D.S.: *See* Wiederschain, G.Ya., 559
Nikolaidis, M.: *See* Mougios, V., 585
Noël, J.-P.: *See* Joffre, F., 554
Noh, S.K., and Koo, S.I. Enteral infusion of phosphatidylcholine increases the lymphatic absorption of fat, but lowers α-tocopherol absorption in rats fed a low zinc diet, 330

Ochoa-Herrera, J.J., Huertas, J.R., Quiles, J.L., and Mataix, J. Dietary oils high in oleic acid, but with different nonglyceride contents, have different effects on lipid profiles and peroxidation in rabbit hepatic mitochondria, 357
Oda, H.: *See* Mochizuki, H., 109
Okuyama, H., *See* Du, C., 474
Oliart Ros, R.M., Torres-Márquez, M.E., Badillo, A., and Guerrero, O.A. Dietary fatty acids effects on sucrose-induced cardiovascular syndrome in rats, 207
Olinescu, R.M., and Kummerow, F.A. Fibrinogen is an efficient antioxidant, 162
Oliveira, J.T.A.: *See* Vasconcelos, I.M., 55
Oliver, P.: *See* Pericàs, J., 444
Omay, S.T.: *See* Zhang, P., 38
Ontiveros-Martínez, L.: *See* Del Angel-Meza, A.R., 192
Oriani, G., Corino, C., Pastorelli, G., Pantaleo, L., Ritieni, A., and Salvatori, G. Oxidative status of plasma and muscle in rabbits supplemented with dietary vitamin E, 138
Osmond, D.: *See* Read, M.A., 258
Oxford, C.: *See* Quasney, M.E., 310

Palou, A.: *See* Pericàs, J., 444
Palou, A.: *See* Proenza, A.M., 431
Palumbo, R.: *See* Tedesco, I., 505
Panneerselvam, C.: *See* Arivazhagan, P., 2
Panneerselvam, C.: *See* Dayanandan, A., 254
Pantaleo, L.: *See* Oriani, G., 138
Park, H.J.: *See* Lee, Y.W., 648
Paski, S.C., and Xu, Z. Labile intracellular zinc is associated with 3T3 cell growth, 655
Pastorelli, G.: *See* Oriani, G., 138
Patel, M.S.: *See* Srinivasan, M., 575
Pericàs, J., Oliver, P., Guitard, R., Picó, C., and Palou, A. Sexual dimorphism in age-related changes in UCP2 and leptin gene expression in subcutaneous adipose tissue in humans, 444
Peters, R.C.: *See* Bhathena, S.J., 529
Petridou, A.: *See* Mougios, V., 585
Phillips, B.S.: *See* Corl, B.A., 622
Picó, C.: *See* Pericàs, J., 444
Piper, J.B.: *See* During, A., 640
Prieto, R.M.: *See* Grases, F., 595
Proenza, A.M., Crespí, C., Roca, P., and Palou, A. Gender related differences in the effect of aging on blood amino acid compartmentation, 431

Quagiotto, P.: *See* Read, M.A., 258
Quandt, D.: *See* Mühling, J., 46
Quasney, M.E., Carter, L.C., Oxford, C., Watkins, S.M., Gershwin, M.E., and German, J.B. Inhibition of proliferation and induction of apoptosis in SNU-1 human gastric cancer cells by the plant sulfolipid, sulfoquinovosyldiacylglycerol, 310
Quiles, J.L.: *See* Ochoa-Herrera, J.J., 357
Qureshi, A.A., Sami, S.A., Salser, W.A., and Khan, F.A. Synergistic effect of tocotrienol-rich fraction (TRF$2$5) of rice bran and lovastatin on lipid parameters in hypercholesterolemic humans, 318

Raeini-Sarjaz, M.: *See* Vanstone, C.A., 565
Ramanathan, K.: *See* Arivazhagan, P., 2
Ramírez, J.: *See* El Hafidi, M., 396
Ramjiganesh, T.: *See* Fernandez, M.L., 703
Rathmacher, J.: *See* Vukovich, M.D., 631
Rathore, N.: *See* John, S., 500
Read, M.A., Leitch, J.W., Osmond, D., Quagiotto, P., Falconer, J., and Garg, M.L. Dietary n-3 fatty acids alter the contractile response to thromboxane A$2 agonists of porcine coronary arteries, 258
Reddy, G.B., Nayak, S., Reddy, P.Y., and Bhat, K.S. Reduced levels of rat lens antioxidant vitamins upon *in vitro* UVB irradiation, 121
Reddy, P.Y.: *See* Reddy, G.B., 121
Reeves, P.G., Briske-Anderson, M., and Johnson, L. Pre-treatment of Caco-2 cells with zinc during the differentiation phase alters the kinetics of zinc uptake and transport, 674
Reeves, P.G.: *See* Momčilović, B., 225
Ring, S.: *See* Mougios, V., 585
Ritieni, A.: *See* Oriani, G., 138
Roca, P.: *See* Proenza, A.M., 431
Rogers, Q.R.: *See* Hill, A.S., 346
Roy, S.: *See* Fernandez, M.L., 703
Ruiz deVilla, C.: *See* Escrich, E., 536
Russo, G.L.: *See* Tedesco, I., 505
Russo, M.: *See* Tedesco, I., 505

Sablotzki, A.: *See* Mühling, J., 46

Sagredos, A.: *See* Mougios, V., 585
Salser, W.A.: *See* Qureshi, A.A., 318
Salvatori, G.: *See* Oriani, G., 138
Sami, S.A.: *See* Qureshi, A.A., 318
Sánchez, J.A.: *See* Escrich, E., 536
Sarriá, B., and Vaquero, M.P. Zinc and iron bioavailability in a powder or in-bottle-sterilized infant formula estimated by in vitro and in suckling rats, 266
Sato, A.: *See* Du, C., 474
Schuurbiers, J.A.E.: *See* Lin, Y., 183
Sébédio, J.-L.: *See* Joffre, F., 554
Segura, R.: *See* Escrich, E., 536
Sempos, C.T., and Looker, A.C. Iron status and the risk of coronary heart disease: an example of the use of nutritional epidemiology in chronic disease research, 170
Shaw, G.P.: *See* Lewis, D.A., 95
Sheard, N.F.: *See* Nelson, H.K., 242
Siebra, E.A.: *See* Vasconcelos, I.M., 55
Silveira, E.R.: *See* Naves, M.M.V., 685
Simonet, B.M.: *See* Grases, F., 595
Slater, G.: *See* Vukovich, M.D., 631
Slobodianik, N.H.: *See* Feliu, M.S., 125
Smith, J.C.: *See* During, A., 640
Smith, M.K.: *See* During, A., 640
Solanas, M.: *See* Escrich, E., 536
Soler, M.: *See* Escrich, E., 536
Song, F.: *See* Srinivasan, M., 575
Spurlock, M.E., Ji, S.Q., Godat, R.L., Kuske, J.L., Willis, G.M., Frank, G.R., and Cornelius, S.G. Changes in the expression of uncoupling proteins and lipases in porcine adipose tissue and skeletal muscle during feed deprivation, 81
Srinivasan, M., Song, F., Aalinkeel, R., and Patel, M.S. Molecular adaptations in islets from neonatal rats reared artificially on a high carbohydrate milk formula, 575
Stanely, J.S.: *See* Zempleni, J., 465
Stark, A.H.: *See* Libal-Weksler, Y., 458
Sullivan, J.L. Misconceptions in the debate on the iron hypothesis, 33
Sun, Y., Butler, J.A., and Whanger, P.D. Glutathione peroxidase activity and selenoprotein W levels in different brain regions of selenium-depleted rats, 88
Sunde, R.A.: *See* Hadley, K.B., 693

Taboada, C.: *See* González, M., 512
Tedesco, I., Russo, G.L., Nazzaro, F., Russo, M., and Palumbo, R. Antioxidant effect of red wine anthocyanins in normal and catalase-inactive human erythrocytes, 505
Teitelbaum, J.E., and Walker, W.A. Review: the role of omega 3 fatty acids in intestinal inflammation, 21
Toborek, M.: *See* Lee, Y.W., 648
Tomohide, Y.: *See* Hiroyuki, F., 351
Torres-Márquez, M.E.: *See* Oliart Ros, R.M., 207
Trugo, L.C.: *See* Fortuna, V.A., 610
Tsigilis, N.: *See* Mougios, V., 585
Turner, M.J.: *See* Vukovich, M.D., 631

VandeBerg, J.F.: *See* Kushwaha, R.S., 664
VandeBerg, J.L.: *See* Kushwaha, R.S., 664
Vanstone, C.A., Raeini-Sarjaz, M., and Jones, P.J.H. Injected phytosterols/stanols suppress plasma cholesterol levels in hamsters, 565
Vaquero, M.P.: *See* Sarriá, B., 266
Vasconcelos, I.M., Maia, A.A.B., Siebra, E.A., Oliveira, J.T.A., Carvalho, A.d.F.F.U., Melo, V.M.M., Carlini, C.R., and Castelar, L.I.d.M. Nutritional study of two Brazilian soybean (*Glycine max*) cultivars differing in the contents of antinutritional and toxic proteins, 55
Vieira, E.C., Carneiro, E.M., Latorraca, M.Q., Delguingaro-Augusto, V., Amaral, M.E.C., Bosqueiro, J.R., and Boschero, A.C. Low protein diet confers resistance to the inhibitory effects of interleukin 1β on insulin secretion in pancreatic islets, 285
Vukovich, M.D., Slater, G., Macchi, M.B., Turner, M.J., Fallon, K., Boston, T., and Rathmacher, J. β-hydroxy-β-methylbutyrate (HMB) kinetics and the influence of glucose ingestion in humans, 631

Walker, W.A.: *See* Teitelbaum, J.E., 21
Wang, C.-H.: *See* Yang, M.-H., 14
Wasowicz, E.: *See* Kummerow, F.A., 602
Watanabe, S.: *See* Du, C., 474
Watkins, S.M.: *See* Quasney, M.E., 310
Weiss, S.: *See* Mühling, J., 46
Wen, J.: *See* Brada, N., 200
Werman, M.J.: *See* Levi, B., 235
West, K.L.: *See* Fernandez, M.L., 703
Whanger, P.D.: *See* Sun, Y., 88
Wiederschain, G.Ya., and Newburg, D.S. Glycoconjugate stability in human milk: glycosidase activities and sugar release, 559
Willis, G.M.: *See* Spurlock, M.E., 81

Xu, Z.: *See* Paski, S.C., 655

Yang, M.-H., Wang, C.-H., and Chen, H.-L. Green, oolong and black tea extracts modulate lipid metabolism in hyperlipidemia rats fed high-sucrose diet, 14

Yeung, A.C., Glahn, R.P., and Miller, D.D. Dephosphorylation of sodium caseinate, enzymatically hydrolyzed casein and casein phosphopeptides by intestinal alkaline phosphatase: implications for iron availability, 292

Yokogoshi, H.: *See* Mochizuki, H., 109

Zempleni, J., Stanley, J.S., and Mock, D.M. Proliferation of peripheral blood mononuclear cells causes increased expression of the sodium-dependent multivitamin transporter gene and increased uptake of pantothenic acid, 465
Zhang, P., and Omaye, S.T. β-Carotene: interactions with α-tocopherol and ascorbic acid in microsomal lipid peroxidation, 38
Zhang, Z., Chang, Q., Zhu, M., Huang, Y., Ho, W.K.K., and Chen, Z.-Y. Characterization of antioxidants present in hawthorn fruits, 144
Zhu, M.: *See* Zhang, Z., 144
Zhu, Z.: *See* Cheng, T.-Y., 388

Subject Index

Absorption, 674
ACAT, 664
Acetylcholinesterase, 500
Acyl-coenzyme A:cholesterol acyltransferase, 664
Adenosine deaminase, 125
Adipocyte differentiation, 101
Adipocyte fatty acid binding protein, 101
Adipocytes, 101
Adipose tissue, 444
β_3-Adrenergic receptor, 130
β-Adrenoceptor agonists, 153
Age, 431
Ageing, 2, 444, 481
Alkaline phosphatase, 292
Amino acid catabolism, 274
Amino acid excess, 274
Amino acids, 46
Amylase, 450
Anemonia viridis, 512
Anti-hyperglycemic effect, 351
Anti-inflammatory, 21
Antioxidants, 2, 121, 162, 254, 388, 404, 505
Antioxidative enzymes, 388
Apoptosis, 310
ARAT, 610
Arterial bifurcations, 602
Ascorbic acid, 38
Atherosclerosis, 162, 648
2,2′-azobis (2-amidino-propane) dihydrochloride (AAPH), 38
1,1′-azobis (cyclohexane-carbonitrile) (ACCN), 38

Beef tallow, 153
Bioavailability, 266, 292
Blood amino acid compartmentation, 431
Body fat, 422
BRL 35135, 153
Brown adipose tissue, 130
Brush border membrane, 66, 73, 116

Ca^{2+}, 365
Caco-2 cells, 674
Calcium, 66, 338, 602
Calf, 304
Cancer, 404
Cancer metastasis, 648
Canine, 346
Carboxyl ester hydrolase, 219
Carcinogen metabolism, 518
Cardiac myocytes, 7
Cardiovascular, 404
Cardiovascular diseases, 207
Carnitine, 242, 254
Carnitine deficiency, 242
β-Carotene, 38, 121, 640, 685
Casein, 292, 512
Casein phosphopeptides, 292
Catalase, 500, 505
C/EBPα, 101
β cell, 285
Cell proliferation, 310, 655
Cell signaling, 7
Channel, 66
Chicks, 274
Cholecystokinin, 338
Cholesterol, 14, 109, 512, 529, 585
Cholesteryl esters, 585
Cleavage, 640
Cobalamin binding proteins, 200
Competition, 66
Conjugated linoleic acid, 183, 381, 622
Connexin 43, 685
Cooked meat mutagens, 518
Corn, 192
Coronary artery, 258
Coronary heart disease, 602
Cyclic fatty acid monomers, 554
Cyclopropene fatty acids, 622
Cytokines, 285

Δ^9-Desaturase, 622
Desaturase activities, 396
Desferrioxamine, 640
Diabetes, 213
Diazepam, 46
Diet, 492
Dietary amino acids, 450
Dietary fat, 213, 422
Dietary fat saturation, 703
Dietary fatty acids, 648
Dietary protein, 274
Diet-induced hyperlipidemia, 664
Dieting, 422
Differentiation, 381
DL-α-lipoic acid, 2
DMBA-induced breast cancer, 536
DNA damage, 518
DNA synthesis, 655
Docosahexaenoic acid (DHA), 365, 474

Erythrocyte, 505
Esterification, 610
Ethanol, 338
Exocrine pancreas, 450

Fat, 330
Fatty acid composition, 536
Fatty acid synthesis, 422
Fatty acids, 101, 183, 536
Fiber, 338
Fibrinogen, 162
Fish oil, 21, 365
Flavonoids, 95, 144
Fructose, 235
Fucose, 559

Gastrointestinal tract as a sensory organ, 225
Gender, 703
Gender effect, 431
Glucose, 631
α-Glucosidase inhibitor, 351
GLUT 2, 458
Glutathione peroxidase, 88
Glutathione peroxidase-1, 693
Glutathione peroxidase-4, 693
Glutathione-S-transferase, 500
Glycation, 235
Glycine max, 55
Glycogen synthase, 458
Glycosidases, 559
Gonadotrophic hormones, 192
Growing dogs, 346

Haliotis tuberculata, 512
Hamster, 565
Hawthorn fruit, 144
HDL, 109, 585
Health, 404
Hepatic differentiation, 685
Hepatic stellate cells, 610
Hepatocytes, 458
Heterocyclic amines, 518
High-energy diet, 130
HMB, 631
Hormonal status, 703
HPLC, 121
Human, 465, 640
Human IF, 200
Human milk, 559
Human TCII, 200
Humans, 431
Hypercholesterolemia, 109
Hypercholesterolemic human subjects, 318
Hyperlipidemia, 254

0955-2863/01/$ – see front matter © 2001 Elsevier Science Inc. All rights reserved.
PII: S0955-2863(01)00201-7

Hypertension, 207, 396
Hypertriglyceridemia, 396

Immune function, 46
Infant formula, 73, 266
Inflammatory bowel disease, 21
Injection, 565
Inositol hexaphosphate, 595
Inositol pentaphosphate, 595
Inositol tetraphosphate, 595
$InsP_6$, 595
Insulin, 207, 213, 631
Insulin binding, 529
Insulin secretion, 285
Interleukin 1β, 285
Intestinal absorption, 330
Intestinal metallothionein induction, 225
Intestine, 73, 116, 640
Iodine, 300
Iron, 266, 292
Islets of Langerhans, 575
Isoproterenol, 153

Kinases, 575

Labile intracellular zinc, 655
Laboratory opossum, 664
Lactation, 300
L-alanyl-L-glutamine, 46
L-Ascorbic acid, 121
LDL cholesterol, 703
Leptin, 444
Leucocyanidin, 95
Linoleic acid, 381
Lipase, 81
Lipid, 14
Lipid composition, 116
Lipid parameters, 318
Lipid peroxidation, 2, 38, 357, 500
Lipid peroxides, 254
Lipolysis, 153
Lipoperoxidation, 138
Lipoprotein composition, 703
Lipoprotein lipase, 101, 183
Lipoproteins, 664
Liver, 610, 640
Longevity, 474
Lovastatin, 318
Low density lipoprotein, 144
LRAT, 610

Maillard reaction, 266
Mammary carcinomas, 536
Membrane, 481
Membrane function, 116
Membrane lipid profile, 357
Metabolic control, 422
Metabolism, 422
3-Methylhistidine, 346
Michaelis-Menten kinetic, 219
Microsomes, 38
Milk, 300
Milk fat, 622
Mineral, 388
Mineral interactions, 73
Miniature swine, 529
Mitochondria, 2, 357
Mitochondrial oxidation, 554
Monodelphis domestica, 664
Mouse, 474
Muscle turnover, 346

n-3 fatty acids, 365, 481, 529
n-6 fatty acids, 529
n-3 polyunsaturated fatty acids, 258
n-3 PUFA, 7
N-acetylhexosamines, 559
N-acetylneuraminic acid, 559
Nervonic acid, 492
Neutrophils, 46
Nitrate, 304
Non-essential amino acids, 450
Non-esterified fatty acids, 585
Non-glyceride fraction, 357
Non-insulin-dependent diabetic mellitus, 351
Nucleus, 213
Nutrition, 388
Nutritional modification, 575
Nutritional value, 512

OGTT, 631
Olive oil, 357
Omega 3 fatty acids, 21
Organophosphate pesticides, 500
Oval cell, 685
Oxidative stress, 648
Oxygen free radicals, 162
Oxysterols, 602

Pancreas, 338
Pancreatic enzymes, 219
Pancreatic islets, 285
Pantothenic acid, 465
Peripheral blood mononuclear cells, 465
Peroxisomal oxidation, 554
Peroxisome proliferator-activated receptor γ2, 130
Pharmokinetics, 631
Phase II activation, 518
Phenolic compounds, 357
PhIP, 518
Phosphatidylcholine, 330
Phospholipid hydroperoxide glutathione peroxidase, 481
Phospholipids, 585
Phytosterol, 565
Pig, 81, 258
Piglet, 66, 73
Pivalic acid, 242
PKC, 7
Plantain banana, 95
Plasma, 631
Plasma cholesterol, 565
Plasma insulin, 529
Plasmid DNA, 235
Polychlorinated biphenyls, 109
Polyunsaturated fatty acids, 207
Polyunsaturated n-6 diet, 536
Porcine, 101
PPARγ, 101
Preproinsulin gene expression, 575
Proliferation, 465
Protein malnutrition, 285
Protein quality, 55
Protein restriction, 192, 300
PUFA, 536
Purine nucleoside phosphorylase, 125

Quality dietary protein, 125
Quantitation, 346

Rabbits, 138, 357
Rapeseed oil, 474
Rat, 242, 492
Rat brain, 88
Rat IF, 200
Rat lens, 121
Rat tissues, 518
Rats, 109, 116, 213, 300, 450, 458
Reactive oxygen species (ROS), 505
Red wine anthocyanins, 505
Renal function, 474
Renutrition, 125
Requirements, 693
Review, 404
Ribonuclease protection analysis, 693
ROMs, 138

Seed protein, 55
Selenoprotein P, 693
Selenoprotein W, 88
Serotonin, 192
Sitostanol, 565
Skeletal muscle, 130
SNU-1 cancer cells, 310
Sodium-dependent multivitamin transporter, 465
Soybean, 55
Sphingomyelin, 492, 602
Starvation, 81
Stenosis, 602
Sterculic acid, 622
Sterilization, 266
Sterol 27-hydroxylase, 664
Structured dietary intake, 225
Sucrose intake, 396
Sucrose-rich diet, 14
Sugar phosphates, 235
Sulfolipid, 310
Sulfoquinovosyldiacylglycerol, 310
Superoxide dismutase, 500
Supplement, 388

3T3 cells, 655
3T3 L1 adipocytes, 183
3T3-L1 preadipocytes, 381
Taurine, 109
Tea, 14, 404
Thioredoxin, 693
Thromboxane A_2, 258
Thymus, 125
α-Tocopherol, 38, 121, 138, 144, 330
α-Tocopheryl acetate, 219
α-Tocopheryl nicotinate, 219
α-Tocopheryl succinate, 219

Tocotrienols, 318
Touchi-extract, 351
Toxicity, 55
Trace elements, 674
Trans fatty acid, 622
trans fatty acids, 116
Transcription factors, 575
Transport, 465
Transport kinetics, 674
Triacylglycerols, 585
Triglyceride, 14
Triglyceride content, 381
Trypsin, 450
UCP2, 444
Ulcer, 95
Uncoupling proteins, 81, 130
Undernourished rats, 125
Urine, 631
UVB radiation, 121

Vascular endothelium, 648
Vegetable oils, 153
Ventricular myocyte, 365
Very long chain fatty acids, 492
Vitamin, 388
Vitamin A, 610, 685
Vitamin B_{12}, 200
Vitamin E, 481
Vitamins, 254

Western blot, 88

Zinc, 66, 266, 330, 655
Zinc dose-rate idiorrhythm, 225
Zinc nutritional status, 225
Zinc repletion rate, 225
Zinc transport, 73, 674
Zinc uptake, 674